Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S44	34389	decoupled	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/13 10:56
S45	718814	model	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/13 10:56
S46	321	decoupled with model	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/13 10:57
S47	35	decoupled with model with data	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/13 11:16
S48	26	"DataBus Architecture"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/13 11:09
S49	18	decoupled with "data model"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/13 11:17
S50	0	S49 not S47	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/13 11:16
S51	315	(layer\$3 tier\$2) with "data model"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/13 11:17
S52	124	(layer\$3 tier\$2) near3 "data model"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/13 11:17
S53	70	(layer\$3 tier\$2) near2 "data model"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/13 11:17

S54	33	(layer\$3 tier\$2) near1 "data model"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/13 11:17
S55	2	("20040024610").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/28 16:10
S56	2	("5,295,222").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/28 16:10
S57	5244	middleware	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/28 16:13
S58	7	middleware with decoupl\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/28 16:13
S59	140	middleware with proxy	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/28 16:13
S60	489	(717/104-105).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/28 16:14
S61	46	S57 and S60	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/28 17:03
S62	0	bowman-au.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/28 17:03
S63	0	"bowman-au".in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/28 17:03

	1					
S64	4185	"bowman".in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB		ON	2005/10/28 17:03
S65	0	"bowman-hau".in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/28 17:04
S66	13	"bowman-a".in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/28 17:04
S67	13	(bowman-a).in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/28 17:04
S68	3	(bowman-h).in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/28 17:04
S69	128	(Bowman-Amuah).in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/28 17:53
S70	445	mobile with database with object	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/28 17:53
S71	12	mobile with database with object with model	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/28 18:31
S72	9862	data adj model	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/28 18:31
S73	54	data adj model with instantiat\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/28 18:31